

NRAQ.E206327 Programmable Controllers

Page Bottom

Programmable Controllers

See General Information for Programmable Controllers

DELTA ELECTRONICS INC

31-1 SHIEN PAN RD KUEI SAN INDUSTRIAL ZONE TAOYUAN HSIEN, 333 TAIWAN E206327

Investigated to ANSI/UL 508

Accessories Model(s) DPA-CBL, QPS-CBL

Accessories, communication interfaces Model(s) DVPCP02-H*, DVPDT02-H*, DVPPF02-H*

Accessories, I/O extensions for DI/DO units Model(s) DVPAETB*

Accessories, temperature sensors Model(s) DVP08TC-H*

Accessory Open type, "AH Series" Model(s) AHBP, followed by 00 to 12, followed by numbers, alphabets or blank. I/O extension for DI/DO units, Model DVPAETB, followed by numbers, alphabets or blank. Fiber module, AHAADP followed by 01-09, followed by EF, followed by -5A.

Accessory Open type Extension Accessory Device , "NC series" Model(s) NC-PAN-***AM-P#, NC-PAN-***AM-P#, NC-EIO-T****#, NC-EIO-R****#, NC-EIO-ADC**, NC-EIO-DAC**, NC-EIO-TAD**, NC-TBM-P****, NC-TBM-T****, NC-TBM-R***#, NC-EXM-M**, NC-EXM-S**, NC-CAB-DMC***

Accessory Open type RS-485 Repeater Model(s) IFD5710

Accessory: I/O extensions, "AH Series" Model(s) AHAADP followed by 01-09, followed by EF, followed by -5A.

Analog IO units Model(s) AH01AD*, AH01DA*, AH01LC*, AH01XA*, AH02AD*, AH02DA*, AH02LC*, AH02XA*, AH04AD*, AH04DA*, AH04LC*, AH04XA*, AH06AD*, AH06AD*, AH06C*, AH06XA*, AH06AD*, AH06AD*, AH06AD*, AH16AD*, AH16AD*, AH16AC*, AH16XA*

Communication accessory devices Model(s) RTU-EN01

Communication interface units Model(s) COA02, DMV1000-80GX, DNA02, DVPCOPM-SL, DVPEN01-SL, DVPPF02-SL, DVS005*, DVS008*, DVS016*, ENA01-EIP, ENA01-MOD, RTU-485, RTU-DNET, RTU-PD01

Communication interface units, keypad accessories Model(s) DMV1000-KEY

Communication interfaces, listed accessories Model(s) DVPSCM*

Control modules Model(s) DCH1000A

DVP, followed by 10, 24, or 28, followed by SX or SV, followed by 11 or 211, followed by R or T.

DVP, followed by 12, 10 or 32, followed by SA, SC, MC or ES, may be followed by 2, followed by 11, followed by R, S, T or P.*

DVP, followed by 12, 14 or 20, followed by SS2 or SX2, followed by 11, followed by R, T or S.*

DVP, followed by 14, 16, 24, 30, 32, 20, 40 or 60, followed by ES, EX, SS or EC, may be followed by 2, followed by 00, 01, 10 or 11, followed by R, RM, S or T.*

DVP, followed by 16, 20, 32, 40, 48, 60, 64 or 80, followed by EH, followed by 00, followed by R, T or M.*

 $\label{eq:dvp10PM00M*} DVP12SA10R*, DVP12SE11R*, DVP12SE11T*, DVP14SS11R*, DVP14S$

Digital IO units Model(s) AH, followed by 08, 16, 32, 64, followed by A thru Z or 0 thru 9, followed by M, N, P, R, followed by 00 thruh 99, followed by R, T, P, S, X, N, followed by A thru Z or 0 thru 9, followed by A, B, C.*

Expansion I/O units Model(s) DVP, followed by 02, 04 or 06, followed by AD, DA, TC, XA or PT, followed by E2.* (Rated 24V dc.)

DVP, followed by 08, 14, 16, 24 or 32, followed by XM, XN or XP, may be followed by 2, followed by 00, 01 or 11, followed by R, N or T.*

DVP, followed by 08, 16, 32 or 48, followed by HN, HM or HP, followed by 11 or 00, followed by R, T or N.*

DVP01HC-H*, DVP01PU-H*, DVP02HC-H*, DVP06XA-H*

Expansion modules Model(s) ADP485-01*, DOP-EXIO14RAE, DOP-EXIO28RAE, DOP-EXLNGJ1AE, DOP-EXLNGJ2AE, DOP-EXLNHJ1AE, DOP-EXLNHJ1A

DVP02DA, followed by -S, or -S2, may be folllowed by additional suffixes or blank.

DVP02LC-SL*

DVP04AD followed by -S, or -S2, may be folllowed by additional suffixes or blank.

DVP04DA followed by -S, or -S2, may be folllowed by additional suffixes or blank.

DVP04PT-S, DVP04PU-S, DVP04TC-S*

DVP06AD followed by -S, or -S2, may be folllowed by additional suffixes or blank.

DVP06DA followed by -S, or -S2, may be folllowed by additional suffixes or blank.

DVP06PT followed by -S, or -S2, may be followed by additional suffixes or blank.

DVP06PU-S, DVP06SN11N*, DVP06SN11R*, DVP06ST11N*, DVP06ST11R*

DVP06XA followed by -S, or -S2, may be followed by additional suffixes or blank.

DVP08RT-S*, DVP08SM10N*, DVP08SM11N*, DVP08SN11N*, DVP08SN11R*, DVP08SN11R*, DVP08SN11T*, DVP08SP11T*, DVP08ST11N*, DVP08ST11R*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP16SP11T*, DVP20LC-SL*, DVP32SM11N*, DVP32SN11TN*, DVPDNET-SL*, DVPDT01-S*, DVPPF01-S*, ELC-EX08NNAN

Expansion units Model(s) DVP04AD-SL, DVP04DA-SL

Hand-held programmers Model(s) DVPHPP0*

Human machine interfaces Model(s) DOP followed by W, followed by 105, 127, 157 may be followed by additional suffixes.

DOP, followed by -B, followed by -07, -08, or -10, may be followed by P or V, followed by S or E, followed by 401, 41x, 411, 415, 511, 515 or 615.*

DOP-B03E210*, DOP-B03E211*, DOP-B03S210*, DOP-B03S211*, DOP-B05S111

HMC, followed by 08 or 07, followed by -, followed by A thru Z, followed by 0 thru 9, followed by 00 thru 99, followed by S or H, followed by 0 thru 6, followed by 0 thru 6.

Industrial Ethernet Switch Model(s) DVS-109, followed by I or W, followed by 00, 01, or 02, followed by -1GE

Open Type, Industrial Ethernet Switch Model(s) DVW-W02W2-E2-XX, where XX can be any alphanumeric character or blank for marketing purpose.

Open type, Programmable controllers, "AH Series" Model(s) AH, followed by CPU, followed by 500, 501, 510, 511, 520, 521, 530, and 531 followed by RS, EN, followed by numbers, alphabets or blank.

 $\textbf{Open type, Programmable controllers, "DVP SERIES"} \ \ \texttt{Model(s)} \ \ \texttt{DVP201LC-SL*, DVP202LC-SL*, DVP201LC-SL*} \\$

Open type, Programmable controllers, "NC series" Model(s) Models NC followed by 200 or 300 or 310 or 311, followed by A or P, followed by MS or MI or LI, maybe followed by additional suffix(es) or number(s).

Open type, Programmable controllers Model(s) DVS, followed by G005I, G008I, 008I, 110W02,108W02 followed by any alphabets, numbers or blank.

Panel PC Model(s) TP70P-16TP1R, TP70P-32TP1R, TP70P-22XA1R, TP70P-21EX1R, TP70P-RM0, TP70P-RM1, or TP70P-RM2

Power modules Model(s) AHPS05*, AHPS15*, DVPPS01, DVPPS02

Power supply modules Model(s) DPR20A, DPS024-24V43, DVPPS02, DVPPS05

Pressure sensors Model(s) DPA01*, DPA10*

Programmable human machine interfaces Model(s) DOP, followed by -A or -AE, followed by 57, followed by G, C or B, followed by STD, may be followed by -W.

DOP-A10TCTD, DOP-A10THTD1, DOP-A75CSTD, DOP-AE10THTD1, DOP-AE10THTD1, DOP-AE80THTD0, DOP-AE80THTD0, DOP-AS35THTD, DOP-AS38BSTD, DOP-AS38BSTD-W, DOP-AS57BSTD, DOP-B05S100, DOP-B05S101, DOP-B07S200, DOP-B07S201, DOP-B07S201A, DOP-B07S211, DOP-B07S411K

DOP-NP3, followed by -MQ, followed by 0 thru 9, followed by 0 or 1, followed by 0 or 1, may be followed by B.

DOP-NP5, followed by -MQ or -SQ, followed by 0 thru 9, followed by 0 or 1, followed by 0 or 1, may be followed by B.

TP, followed by 02, 04, 05 or 08, followed by T or G, followed by A or B, followed by S, followed by 1 or 2.

TP, followed by 04, followed by P, followed by 00 thru 32, followed by 0-9, followed by R, followed by TP, EX or XA.*

TP04G-AL-C, TP04G-BL-C

Programmable logic controllers Model(s) DVP, followed by 10 thru 60, followed by EC, followed by 00, followed by R or T.*

Various & communication IO units Model(s) AH, followed by 01 thru 30, followed by PT, PTG, TC, HC, PM, MC, EN, SCM, DNET, PFBM, PFBS, EIP. COPM, followed by numbers, alphabets or blank. Model AH, followed by RTU, followed by COPM, DNET, ETHN, PFBS, followed by numbers, alphabets or blank.

AHRTUCOPM*, AHRTUDNET*, AHRTUETHN*, AHRTUPFBS*

DOP followed by -B, followed by 07, 08 or 10, may be followed by P or V, followed by S or E, followed by 401, 41x, 411, 415, 511, 515 or 615, maybe followed by additional suffix.

* - May be followed by additional suffixes or blank.

Last Updated on 2015-03-16

Questions? Print this page Terms of Use Page Top

? 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the <u>UL Environment database</u> for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".